

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|---------------------|
| 1 | 5 | ((nitrogen or nitrid\$5) with (gate adj oxide)) same ("no" or (nitric adj oxide)) and (oxid\$5 or reoxid\$5) and ((measur\$3 or calculat\$3) with thick\$4) same (nitrid\$5 with gate with oxide)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/09 14:51 |
| 2 | 3 | ((nitrogen or nitrid\$5) with (gate adj oxide)) same ("no" or (nitric adj oxide)) and (oxid\$5 or reoxid\$5) and ((measur\$3 or calculat\$3) with thick\$4) same (nitrid\$5 with gate with oxide)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/09 14:54 |
| 3 | 25 | and (@ad<20011012 or @rlad<20011012) (nitrid\$5 with (gate adj oxide)) and ("no".u/c. or (nitric adj oxide)) and (reoxid\$5 or ono) and ((measur\$3 or calculat\$3) with thick\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/09 17:04 |
| 4 | 17 | ((nitrid\$5 with (gate adj oxide)) and ("no".u/c. or (nitric adj oxide)) and (reoxid\$5 or ono) and ((measur\$3 or calculat\$3) with thick\$4)) and (@ad<20011012 or @rlad<20011012) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/09 17:06 |
| 5 | 1992 | ("no".u/c. or (nitric adj oxide)) and ((measur\$3 or calculat\$3) with thick\$4 with oxide) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/09 17:05 |
| 6 | 13 | ("no".u/c. or (nitric adj oxide)) and ((measur\$3 or calculat\$3) with thick\$4 with nitrid\$5 with gate with oxide) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/09 17:06 |
| 7 | 11 | ((("no".u/c. or (nitric adj oxide)) and ((measur\$3 or calculat\$3) with thick\$4 with nitrid\$5 with gate with oxide)) and (@ad<20011012 or @rlad<20011012) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/09 17:06 |
| - | 0 | oxidation with nitrided with gate with oxide with measur\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/07/09 14:31 |
| - | 1 | (oxidation with nitrided with gate with oxide) and (measur\$3 with thickness) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/13 20:33 |
| - | 35 | oxidation with nitrided with gate with oxide | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/13 20:33 |
| - | 8 | (oxidation with nitrided with gate with oxide) and measur\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/13 20:36 |
| - | 0 | (measur\$3 with thickness with oxide) and (nitrided with gate with oxide) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/13 20:37 |
| - | 13 | (measur\$3 with thickness with oxide) and (nitrided with gate with oxide) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/14 11:35 |
| - | 6 | ono and oxidiz\$3 and gate and oxide and nitrided and measur\$3 and thickness and ((predetermined or preset) with value) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/13 20:48 |
| - | 38 | measur\$3 with thickness with ono | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/14 12:07 |
| - | 2 | measur\$3 with thickness with nitrided with oxide | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/14 14:20 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 21 | measur\$3 with thickness with nitrided | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/14 14:18 |
| - | 2 | increas\$3 with thickness with reoxidized | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/14 14:19 |
| - | 418 | nitrided with gate with oxide | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/14 14:21 |
| - | 14 | (nitrided with gate with oxide) and measur\$3 and thickness and reoxidation | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/14 14:26 |
| - | 0 | correlation same (oxide adj thickness) same (nitrogen adj concentration) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/14 14:28 |
| - | 5 | correlation same oxide same thickness same nitrogen same concentration | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/14 15:16 |
| - | 9 | correlation same oxide same thickness same nitrogen | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/14 15:23 |
| - | 365 | measur\$3 same oxide same thickness same (nitrogen or nitrided) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/17 19:35 |
| - | 112 | (measur\$3 same oxide same thickness same (nitrogen or nitrided)) and 438/\$3.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/14 15:26 |
| - | 102 | ((measur\$3 same oxide same thickness same (nitrogen or nitrided)) and 438/\$3.ccls.) and @ad<20011012 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/14 15:30 |
| - | 3 | ((measur\$3 same oxide same thickness same (nitrogen or nitrided)) and 438/\$3.ccls.) and @ad<20011012) and reoxidized | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/14 15:30 |
| - | 3 | oxide same growth with rate with nitrogen with content | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 13:43 |
| - | 97 | (oxide or oxidation or oxidized) same growth with rate with nitrogen | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 13:48 |
| - | 9 | ((oxide or oxidation or oxidized) same growth with rate with nitrogen) and measur\$3 with thickness | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 14:10 |
| - | 68 | (relation or correlation) same thickness same oxide same nitrogen | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 14:57 |
| - | 21 | ((relation or correlation) same thickness same oxide same nitrogen) and measur\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 14:58 |
| - | 18 | ((relation or correlation) same thickness same oxide same nitrogen) and measur\$3) and @ad<20011012 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 14:58 |
| - | 299 | determin\$5 same thickness same oxide same nitrogen | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 14:59 |

| | | | | |
|---|-------|---|---|---------------------|
| - | 144 | (determin\$5 same thickness same oxide same nitrogen) and measur\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 15:00 |
| - | 131 | ((determin\$5 same thickness same oxide same nitrogen) and measur\$3) and @ad<20011012 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 14:58 |
| - | 33 | determin\$5 with thickness with oxide with nitrogen | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/17 10:49 |
| - | 17 | (determin\$5 with thickness with oxide with nitrogen) and measur\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/16 15:07 |
| - | 17 | change with thickness with (oxide or oxidation or oxidized) with nitrogen | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/17 11:10 |
| - | 62 | measur\$3 and thickness and (oxide or oxidation or oxidized) and nitrogen and (reoxidation or reoxidized) and (oxynitride or ono) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/17 12:51 |
| - | 56 | (measur\$3 and thickness and (oxide or oxidation or oxidized) and nitrogen and (reoxidation or reoxidized) and (oxynitride or ono)) and @ad<20011012 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/17 13:01 |
| - | 30 | ((measur\$3 and thickness and (oxide or oxidation or oxidized) and nitrogen and (reoxidation or reoxidized) and (oxynitride or ono)) and @ad<20011012) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/17 13:06 |
| - | 17 | and (nitrogen same oxide same thickness) ((measur\$3 and thickness and (oxide or oxidation or oxidized) and nitrogen and (reoxidation or reoxidized) and (oxynitride or ono)) and @ad<20011012) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/17 14:02 |
| - | 14 | and (nitrogen same oxide same thickness same (measur\$3 or determin\$5)) thickness same nitrided same before same after same (oxide or oxidation) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/17 19:22 |
| - | 2213 | (implant\$5 or dop\$3) with boron with gate with electrode | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/17 19:34 |
| - | 1111 | ((implant\$5 or dop\$3) with boron with gate with electrode) and 438/\$3.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/17 19:35 |
| - | 12 | (measur\$3 same oxide same thickness same (nitrogen or nitrided)) and (((implant\$5 or dop\$3) with boron with gate with electrode) and 438/\$3.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/03/17 19:36 |
| - | 15643 | oxid\$5 with nitr\$4 with gate with oxide | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 12:07 |
| - | 2903 | (oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 15:48 |
| - | 0 | jp-2000311928-\$.did | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 15:11 |
| - | 0 | jp-200311928-\$.did | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 14:03 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 0 | jp-20000311928-\$.did | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 14:04 |
| - | 0 | jp-20311928-\$.did | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 14:05 |
| - | 0 | jp-00311928-\$.did | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 15:04 |
| - | 2 | 5972804.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 15:05 |
| - | 0 | us-2003042432-\$.did | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 15:11 |
| - | 0 | us-20003042432-\$.did | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 15:11 |
| - | 0 | us-203042432-\$.did | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 15:15 |
| - | 1 | 059714.apn. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 15:20 |
| - | 1 | 6639228.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 15:29 |
| - | 6 | ("5939763" "6060374" "6110784" "6245689" "6423601" "6475887").PN. | USPAT | 2003/11/03 15:21 |
| - | 4 | ("5223443" "5604350" "5880013" "5904552").PN. | USPAT | 2003/11/03 15:25 |
| - | 2 | 5254489.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 15:29 |
| - | 168 | ((oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4)) same boron | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 15:49 |
| - | 101 | ((((oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4)) same boron) and 438/\$3.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 15:50 |
| - | 82 | (((((oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4)) same boron) and 438/\$3.ccls.) and @ad<20011012 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 15:54 |
| - | 4 | (((((oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4)) same boron) and 438/\$3.ccls.) and @ad<20011012) and reoxidation | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/11/03 15:55 |